Quick Green
That Lasts Up
to Two Months

COVERS UP TO
5,000 SQ. FT.

Lilly Miller®

# ULTRAGREEN®



# WEED & FEED

with TRIMEC® herbicide

## 28•2•3

- Controls over 200 weeds!
- Kills even the tough weeds like Dandelion, Plantain and Clover
- Builds thick, green lawns from the roots up

| | SPRING | SUMMER | FALL | WINTER | |
|---|---|---|---|---|---|
| GREEN CYCLE™ | CRABGRASS CONTROL & LAWN FOOD | WEED & FEED | LAWN FOOD | FALL & WINTER LAWN FOOD | Lilly Miller® ULTRAGREEN® feeds and protects all year long! |

- *Reverdecimiento rápido que dura hasta dos meses*
- *Cubre hasta 5,000 pies cuadrados*
- *¡Controla más de 200 malezas!*
- *Elimina incluso las malezas difíciles de controlar como el diente de león, lantén y trébol*
- *Desarrolla céspedes tupidos y verdes desde las raíces hasta arriba*

ACTIVE INGREDIENTS:
Dimethylamine salt of 2,4-dichlorophenoxyacetic acid ..... 0.05%
Dimethylamine salt of (+)-(R)-2-(2-methyl-4-chlorophenoxy)propionic acid ..... 0.16%
Dimethylamine salt of dicamba (3,6-dichloro-o-anisic acid)... 0.07%
INERT INGREDIENTS: ..... 99.72%
TOTAL: ..... 100.00%

THIS PRODUCT CONTAINS:
10.80 lbs. 2,4-dichlorophenoxyacetic acid equivalent per ton or 0.54%
2.6 lbs. (±)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton or 0.13%
1.2 lbs. 3,6-dichloro-o-anisic acid equivalent per ton or 0.06%
Isomer Specific by AOAC Methods.
TRIMEC® is a registered trademark of PBI/GORDON CORPORATION.

KEEP OUT OF REACH OF CHILDREN
**CAUTION**
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS & FIRST AID

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS
**PRECAUCIÓN**
LEA EL PANEL POSTERIOR PARA MÁS DECLARACIONES DE PRECAUCION Y PRIMEROS AUXILIOS

**NET WT./PESO NETO 18 LBS. (8.1 kg)**

09-08-10

## GUARANTEED ANALYSIS

| | |
|---|---|
| Total Nitrogen (N) | 28% |
| 9.5% Ammoniacal Nitrogen | |
| 18.5% Urea Nitrogen* | |
| Available Phosphate ($P_2O_5$) | 2% |
| Soluble Potash ($K_2O$) | 3% |
| Sulfur (S) | 9% |
| 9.0% Combined Sulfur (S) | |
| Iron (Fe) | 2% |

Derived from Urea, Ammonium Sulfate, Polymer Coated Urea, Ammonium Phosphate, Muriate of Potash, Iron Sucrate.

*7.0% Slowly available urea nitrogen from polymer coated urea.

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.htm

Filled by weight not by volume. Product may settle after packaging.

This product may stain concrete and stone. Where spilling occurs, sweep off immediately, then flush with water.

Llenado por peso y no por volumen. El producto puede asentarse después de empaquetar.

Es posible que este producto manche el concreto y la piedra. Donde sucedan derrames, quite inmediatamente con una escoba y luego lave con agua.

**READ THE ENTIRE LABEL FIRST.**
**OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.**

STOP

**LEA PRIMERO TODA LA ETIQUETA. RESPETE TODAS LAS PRECAUCIONES Y SIGA LAS INSTRUCCIONES CON CUIDADO.**

## DIRECTIONS FOR USE

*It is a violation of Federal law to use this product in a manner inconsistent with its labeling.*

**STORAGE & DISPOSAL**
Do not contaminate water, food, or feed by storage and disposal.
**PESTICIDE STORAGE:** Store in original container in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs.
**PESTICIDE DISPOSAL & CONTAINER HANDLING:** Nonrefillable container. Do not reuse this container. *If Empty* – Place in trash or offer for recycling if available. *If Partly Filled* – Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**GENERAL PRECAUTIONS AND RESTRICTIONS:**
- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled.
- Do not use this product where desirable clovers are present. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning.
- Do not use this product on or near desirable plants, and avoid spreading granules onto exposed root systems or adventitious shoots (rhizomes) within the drip line of desirable trees and shrubs, since injury may result.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn, and sweep any product landing on the driveway, sidewalk, gutter, or street back onto the treated area. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.

**INSTRUCTIONS**
Lilly Miller® ULTRAGREEN® Weed & Feed controls a wide range of lawn weeds including dandelion, chickweed, knotweed, plantain, henbit, spurge and many others commonly found in home lawns. This product may be applied to established lawns of bermudagrass, bentgrass, bahiagrass, centipedegrass, Kentucky bluegrass, fescues, perennial ryegrass, zoysiagrass, and St. Augustinegrass. Do not use on dichondra or carpetgrass. Do not apply this product to "Floratam" St. Augustinegrass in Florida. In addition, a 28-2-3 fertilizer provides plant nutrients.

Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or, (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days.

1. Mow lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).
3. Apply when weeds are young and growing actively, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to allow the granules to adhere and to remain on the leaf surface of the weeds.
4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

Apply at the rate of 1 lb. of product per 275 sq. ft.

The maximum broadcast application rate is 4 pounds of product per 1,000 sq. ft. per application (0.94 lb. 2,4-D ae, 0.23 lb. MCPP-*p* ae and 0.10 lb. dicamba ae per acre per application). The maximum number of broadcast applications is limited to 2 per year with a minimum of 30 days between applications. The maximum seasonal rate is 8 pounds of product per 1,000 sq. ft. (1.88 lbs. 2,4-D ae, 0.46 lb. MCPP-p ae and 0.20 lb. dicamba ae per acre).

**SETTING YOUR LAWN SPREADER**
THESE SETTINGS ARE A GUIDE. They were determined by landscape professionals using new spreaders. The condition of your spreader, your walking speed, the roughness of the lawn, and even the humidity can affect how fast the lawn food comes out. Watch the flow rate. If fertilizer appears to be coming out either slower or faster than you are covering the lawn, adjust the setting. Close the spreader when filling, turning or stopping.

## INSTRUCCIONES

*Usar este producto de modo inconsistente con las indicaciones de su etiqueta constituye una violación de la ley federal.*

**ALMACENAMIENTO Y ELIMINACIÓN**
Al almacenarlo y eliminarlo no contamine el agua, comida o alimento para animales.
**ALMACENAMIENTO DEL PESTICIDA:** Almacénelo en el envase original en un área de almacenamiento bajo llave inaccesible para niños y animales domésticos. No lo almacene cerca de comida o alimento para animales.
**ELIMINACIÓN DEL PESTICIDA Y MANEJO DEL ENVASE:** Envase que no se puede rellenar. No vuelva a usar este envase. *Si está vacío* – tírelo a la basura o, si está disponible, ofrézcalo para reciclaje. *Si está parcialmente lleno* – llame a su agencia local de desechos sólidos para obtener instrucciones sobre cómo eliminarlo. Nunca elimine el producto sin usar en ningún drenaje interior o exterior.

**PRECAUCIONES GENERALES Y RESTRICCIONES:**
- No aplique este producto de modo que entre en contacto con alguna persona o mascota, ya sea directamente o por diseminación. Durante la aplicación mantenga fuera del área a las personas y mascotas. No permita que los niños o las mascotas entren en el área tratada hasta que el polvo se haya fijado.
- No use este producto cuando haya tréboles que desee conservar. Aplíquelo cuando el aire esté tranquilo. No lo aplique a los céspedes recién sembrados. Durante la aplicación, al girar cierre las aberturas del esparcidor.
- No use este producto en plantas que desee conservar o cerca de ellas, y evite esparcir gránulos en los sistemas de raíces expuestas o con yemas (rizomas) dentro de la línea de goteo de árboles y arbustos que desee conservar pues puede dañarlos.
- No lo aplique directamente o cerca de agua, drenajes pluviales, alcantarillas o zanjas de drenaje. No lo aplique a menos de 25 pies de ríos, estanques de peces, lagos, arroyos, represas, pantanos, estuarios, bahías y océanos. No lo aplique cuando haya viento. Aplique este producto directamente a su césped y barra cualquier producto que caiga en el camino de acceso, aceras, cuneta o la calle de regreso al área tratada. Para prevenir la escorrentía, no riegue sobre las áreas tratadas al punto en que haya escorrentía ni lo aplique cuando esté lloviendo o se espere lluvia durante ese día.

**INSTRUCCIONES**
Lilly Miller® ULTRAGREEN® Weed & Feed controla una amplia gama de malas hierbas de gramas; por ejemplo el diente de león, estalaria, sanguinaria mayor, llantén, ortiga mansa, eufórbia y varias otras que comúnmente se encuentran en el césped de los hogares. Se puede aplicar este producto al césped establecido de grama Bermuda, grama Bentgrass, grama Bahía, grama ciempiés, pasto azul de Kentucky, cañuela, raigrás perenne, grama Zoysia y grama de San Agustín. No use en oreja de ratón o grama alfombra. No aplique este producto en grama de San Agustín "Floratam" en Florida. Además, un fertilizante 28-2-3 ofrece a las plantas los nutrientes o el alimento.

Puede ser necesario el posible retratamiento si (a) el césped está sumamente poblado de malas hierbas, o (b) si prevalecen las condiciones adversas de baja humedad y las malas hierbas se encuentra en un estado de poco crecimiento. Se puede realizar una segunda aplicación en aproximadamente 30 días.

1. Corte el césped a una altura normal 1 ó 2 días antes de la aplicación.
2. Riegue el césped completamente por lo menos 1 día antes de la aplicación para mantener la humedad hasta el siguiente riego (Vea el paso 4).
3. Aplique cuando las malas hierbas estén jóvenes y crezca activamente, de preferencia en la mañana cuando exista rocío en el césped. Si la grama no está húmeda al momento de la aplicación, rocíela ligeramente con agua para permitir que se adhieran los gránulos y que permanezcan en la superficie de las hojas de las malezas.
4. No lave las hojas de las malas hierbas durante 1 ó 2 días después de la aplicación. En este momento, se debe hacer un riego completo.

Aplique en una proporción de 1 lb. de producto por cada 275 pies cuadrados.

La dosis máxima de aplicación al voleo es 4 libras de producto por cada 1,000 pies cuadrados por aplicación (0.94 lb. 2,4-D ae, 0.23 lb. MCPP-p ae y 0.10 lb. dicamba ae por acre por aplicación). La cantidad máxima de aplicaciones al voleo está limitada a 2 por año con un mínimo de 30 días entre aplicaciones. La dosis máxima por temporada es 8 libras de producto por cada 1,000 pies cuadrados (1.88 lb. 2,4-D ae, 0.46 lb. MCPP-p ae y 0.20 lb. dicamba ae por acre).

**AJUSTE DE SU ESPARCIDOR PARA CÉSPED**
ESTOS AJUSTES SON PAUTAS. Paisajistas profesionales que usan los nuevos esparcidores los han determinado. La condición de su esparcidor, su velocidad al caminar, el mantenimiento del césped e incluso la humedad pueden afectar la velocidad en que surge el abono para plantas. Controle la tasa de flujo. Si el fertilizante parece que sale más lento o más rápido de lo que usted cubre el césped, calibre el ajuste. Cierre el esparcidor cuando llene, gire o se detenga.

(1.8 lbs. for 500 sq. ft.) / *(1.8 libras para 500 pies cuadrados)*

| **Drop Spreader Models** *Modelos de esparcidor de goteo* | **Setting** *Ajuste* |
|---|---|
| • Scotts® AccuGreen® 1000 | 8.0 |
| • Scotts® AccuGreen® 2000 | 8.0 |
| • Scotts® AccuGreen® 3000 | 8.0 |
| • Earthway® | 13.0 |
| • Precision Red Devil™ | 4.0 |
| • Vigoro® | 4.0 |

| **Rotary Spreader Models** *Modelos de esparcidor giratorio* | **Setting** *Ajuste* |
|---|---|
| • Scotts® SpeedyGreen® 1000 | 8.0 |
| • Scotts® SpeedyGreen® 2000 | 8.0 |
| • Scotts® SpeedyGreen® 3000 | 8.0 |
| • Earthway® | 15.0 |
| • Precision Red Devil™ | 11.0 |
| • Vigoro® | 7.5 |

**WEEDS**

Annual yellow sweetclover
Aster
Austrian fieldcress
Bedstraw
Beggarticks
Betony, Florida
Bindweed, field
Bird vetch
Bitter wintercress
Bittercress, hairy
Bitterweed
Black-eyed Susan
Black medic
Black mustard
Blackseed plantain
Blessed thistle
Bloodflower milkweed
Blue lettuce
Blue vervain
Bracted plantain
Bristly oxtongue
Broadleaf dock
Broadleaf plantain
Broomweed
Buckhorn
Buckhorn plantain
Bulbous buttercup
Bull thistle
Bullnettle
Burclover
Burdock
Burning nettle
Burweed
Buttercup
Buttonweed
Canada thistle
Carolina geranium
Carpetweed
Catchweed bedstraw
Catnip
Catsear
Chickweed, common
Chickweed, mouseear
Chicory
Cinquefoil
Clover, crimson
Clover, hop
Clover, red
Clover, strawberry
Clover, sweet
Clover, white
Cocklebur
Cocklebur
Common mullein
Creeping jenny
Cudweed
Curly dock
Daisy, English
Daisy fleabane
Daisy, oxeye
Dandelion
Dichondra
Dogfennel
Dollarweed
False dandelion
Falseflax
False sunflower
Fiddleneck
Florida pusley
Frenchweed
Galinsoga
Goldenrod
Ground ivy
Gumweed
Hairy fleabane
Hawkweed
Healall
Heartleaf drymary
Heath aster
Hedge bindweed
Hedge mustard
Henbit
Hoary cress
Hoary plantain
Hoary vervain
Horsenettle
Jimsonweed
Knawel
Knotweed
Kochia
Lambsquarters
Lespedeza
Mallow
Matchweed
Mexicanweed
Milk vetch
Morningglory
Mouseear hawkweed
Mugwort
Musk thistle
Mustard
Narrowleaf plantain
Narrowleaf vetch
Nettle
Orange hawkweed
Oriental cocklebur
Oxalis
Parsley-piert
Parsnip
Pearlwort
Pennycress
Pepperweed
Pigweed
Pineywoods bedstraw
Plains coreopsis
Plantain
Poison ivy
Poison oak
Pokeweed
Poorjoe
Prairie sunflower
Prickly lettuce
Prickly sida
Prostrate knotweed
Prostrate pigweed
Prostrate spurge
Prostrate vervain
Puncturevine
Purslane, common
Ragweed
Red sorrel
Redroot pigweed
Redstem filaree
Rough cinquefoil
Rough fleabane
Russian pigweed
Russian thistle
Scarlet pimpernel
Scotch thistle
Sheep sorrel
Shepherdspurse
Slender plantain
Smallflower galinsoga
Smooth dock
Smooth pigweed
Sorrel
Sowthistle
Spanishneedles
Speedwell
Spiny amaranth
Spiny cocklebur
Spiny sowthistle
Spotted catsear
Spotted spurge
Spurweed
Stinging nettle
Strawberry, India mock
Tall nettle
Tall vervain
Tansy ragwort
Tansy mustard
Tanweed
Thistle
Trailing crownvetch
Tumble mustard
Tumble pigweed
Velvetleaf
Venice mallow
Virginia buttonweed
Virginia creeper
Virginia pepperweed
Waxyleaf buttthistle
Western clematis
Western salsify
White mustard
Wild aster
Wild buckwheat
Wild carrot
Wild four-o'clock
Wild garlic
Wild geranium
Wild lettuce
Wild marigold
Wild mustard
Wild onion
Wild parsnip
Wild radish
Wild rape
Wild strawberry
Wild sweet potato
Wild vetch
Woodsorrel
Woolly croton
Woolly morningglory
Woolly plantain
Wormseed
Yarrow
Yellow rocket
Yellowflower pepperweed
and other broadleaf weeds

## PRECAUTIONARY STATEMENTS

**Hazards to Humans & Domestic Animals**
**CAUTION:** Harmful if swallowed. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wear long-sleeved shirt, long pants, shoes, socks and chemical-resistant gloves made of any waterproof material. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

**First Aid**
*If in eyes:* Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
*If on skin or clothing:* Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.
*If swallowed:* Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call toll-free, 1-877-800-5556 for emergency medical treatment information.

**ENVIRONMENTAL HAZARDS:**
This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

**LIMITED WARRANTY AND DISCLAIMER**
FOR USE ONLY AS DIRECTED. To the extent consistent with applicable law, the manufacturer neither makes nor intends any express or implied warranties, including any warranty of merchantability or fitness for a particular purpose, which are hereby expressly disclaimed. To the extent consistent with applicable law, in no case shall the manufacturer be liable for incidental, consequential, or special damages resulting from the use or handling of this product. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be returned in full. The terms of this LIMITED WARRANTY AND DISCLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.
NOTICE – This product contains Cadmium, Chromium, Cobalt, Lead, and Nickel, chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Lilly Miller and ULTRAGREEN are registered trademarks of Central Garden & Pet.
AccuGreen® Scotts® SpeedyGreen® are registered trademarks of OMS Investments, Inc.

## DECLARACIONES DE PRECAUCIÓN

**Dañino para los seres humanos y animales domésticos**
**PRECAUCIÓN:** Dañino si se traga. Es dañino si se absorbe a través de la piel. Causa irritación moderada en los ojos. Evite el contacto con ojos, piel o ropa. Use pantalones largos, camisa de manga larga, zapatos, calcetines y guantes resistentes a químicos hechos de material a prueba de agua. El contacto repetido en la piel, prolongado o frecuente, puede causar reacción alérgica en algunas personas. Lave completamente con agua y jabón después de usarlo y antes de comer, beber, consumir goma de mascar o tabaco o usar el baño.

**Primeros auxilios**
*Si ocurre contacto con los ojos:* Mantenga el ojo abierto y enjuague lenta y suavemente con agua durante 15 ó 20 minutos. Retire los lentes de contacto, si hubiera, después de los primeros 5 minutos, luego continúe enjuagando los ojos. Llame a un centro de control de envenenamiento o a un médico para recibir consejos de tratamiento.
*Si ocurre contacto con la piel o ropa:* Quítese la ropa contaminada. Enjuague la piel inmediatamente con abundante agua durante 15 ó 20 minutos. Llame a un centro de control de envenenamiento o a un médico para recibir consejos de tratamiento.
*Si se ingiere:* Llame de inmediato a un centro de control de envenenamiento o a un médico para recibir consejos de tratamiento. Haga que la persona beba tragos de agua si puede tragar. No provoque el vómito a menos que el centro de control de envenenamiento o médico le indique hacerlo. No dé nada por la boca a una persona inconsciente.
Tenga consigo el envase o etiqueta del producto cuando llame al centro de control de envenenamiento o al médico, o acuda al tratamiento. También puede llamar gratuitamente al 1-877-800-5556 para obtener información sobre el tratamiento médico.

**RIESGOS AMBIENTALES:**
Este pesticida es tóxico para los peces y los invertebrados acuáticos y puede afectar de forma negativa a las plantas que no son el objetivo. Para proteger el ambiente, no permita que el pesticida entre o se escurra en drenajes pluviales, zanjas de drenaje, cunetas o aguas superficiales. Aplicar este producto en clima tranquilo cuando no haya pronóstico de lluvia para las siguientes 24 horas ayudará a asegurarse de que el viento o la lluvia no soplen o laven el pesticida fuera del área de tratamiento. Barrer el producto que cae en un camino de acceso, aceras o en la calle de regreso al área tratada del césped o jardín ayudará a evitar que se escurra a los cuerpos de agua o sistemas de drenaje.

**RENUNCIA Y GARANTÍA LIMITADA**
PARA USARLO SOLAMENTE COMO SE INDICA. Hasta donde sea congruente con la ley que aplica, el fabricante no establece ni tiene la intención de establecer ninguna garantía expresa o implícita, incluyendo alguna garantía de comerciabilidad o idoneidad para un propósito en particular, a las que se renuncien por este medio. Hasta donde sea congruente con la ley que aplica, en ningún caso será responsable el fabricante por daños incidentales, consiguientes o especiales que resulten del uso o manejo de este producto. Si no son aceptables estos términos, regrese inmediatamente el producto sin abrir al punto de compra y se le devolverá el precio de compra en su totalidad. Los términos de esta RENUNCIA Y GARANTÍA LIMITADA no pueden variarse por ninguna declaración o acuerdo verbal o escrito en el punto de venta o en ningún otro lado.
ADVERTENCIA: este producto contiene cadmio, cromo, cobalto, plomo y níquel, químicos que el Estado de California conoce como causantes de cáncer y defectos de nacimiento u otros daños reproductivos.

**SATISFACTION GUARANTEED**
*If for any reason you are not satisfied with this product, please send proof of purchase to the address shown and we will gladly refund your purchase price.*

Distributed by:
**LILLY MILLER BRANDS**
1340 Treat Blvd., Suite 650
Walnut Creek, CA 94597

EPA Reg. No. 2217-559-33116
EPA Est. 35497-OR-1

www.lillymiller.com

LM115-03 300029131-8/10

**SATISFACCIÓN GARANTIZADA**
*Si por alguna razón usted no se encuentra satisfecho con este producto, sírvase enviar el comprobante de compra a la dirección mostrada y gustosamente le reembolsaremos el precio de su compra.*